

## IntelliSeeds Common Core Standards Alignment

Grade	Domain or Conceptual Theme	Standard #	Standard	Intelliseeds Skill Numbers	Additional Skills From Other Grades That Apply To This Standard
4	ОА	1	CC.4.OA.1 Use the four operations with whole numbers to solve problems. Interpret a multiplication equation as a comparison, e.g., interpret 35 = 5 x 7 as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal statements of multiplicative comparisons as multiplication equations.  CC.4.OA.2 Use the four operations with whole numbers to solve problems. Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative		
4	OA	2	comparison from additive comparison.		
4	OA	3	CC.4.OA.3 Use the four operations with whole numbers to solve problems. Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.		
4	OA	4	CC.4.OA.4 Gain familiarity with factors and multiples. Find all factor pairs for a whole number in the range 1-100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1-100 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1-100 is prime or composite.	A.23, J.03, J.04, J.05, J.10, J.11	Grade 3 K.37, K.38, K.39, K.40, K.41 Grade 5 G.01, G.12.01, G.12.02, G.13.01, G.13.02, G.13.03, G.14.01, G.14.02, G.15, G.16.01, G.16.02

4	OA	5	CC.4.OA.5 Generate and analyze patterns. Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. For example, given the rule "Add 3" and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.	O.08, M.13	
4	NBT	1	CC.4.NBT.1 Generalize place value understanding for multidigit whole numbers. Recognize that in a multi-digit whole number, a digit in one place represents ten times what it represents in the place to its right. For example, recognize that 700 ÷ 70 = 10 by applying concepts of place value and division. (Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000.)	F.11.01	
4	NBT	2	,		Grade 3 A.01, A.02, A.03.01, A.03.02, A.05, A.05, A.06, A.07.01, A.07.02, A.08.01, A.08.02, A.09, A.10, A.11, A.12, B.06, B.07, B.08, B.09, B.13, E.19, H.43, Grade 5 A.16, A.17, A.26, A.27, A.28, A.29, E.12
4	NBT	3	CC.4.NBT.3 Generalize place value understanding for multidigit whole numbers. Use place value understanding to round multi-digit whole numbers to any place. (Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000.)	A.01, A.02, A.03, A.04, A.05, A.19, A.20, A.21, A.22, B.17, C.18	Grade 3 B.10, B.11, B.12, B.18, B.19, B.20, B.21, B.22, B.23, B.24, B.25, C.30, C.31, C.32, C.33, D.28.01, D.28.02, D.29.01, D.29.01, D.30 Grade 5 A.01, A.02, A.03, A.04, A.05, A.06, A.07, A.18,

	T	ī			,
			CC.4.NBT.4 Use place value understanding and properties of operations to perform multi-digit arithmetic. Fluently add and subtract multi-digit whole numbers using the standard algorithm. (Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000. A range of algorithms may be used.)	A.16, B.01, B.02, B.03, B.04, B.05, B.06, B.07, B.08, B.09, B.10, B.11, B.12, B.22, B.23, B.24, B.25, B.26, C.01, C.02, C.03, C.04, C.05, C.06, C.07, C.08, C.09, C.10, C.11, C.12, C.15, C.16, D.01, D.02	Grade 3 C.12, C.13, C.14.01, C.14.02, C.14.03, C.15, C.16.01, C.16.02, C.17, C.18, C.19, C.20, C.22, C.25.01, C.25.02, D.17.01, D.17.02, D.18, D.19, D.20, D.21.01, D.21.02, D.22, D.23, D.24, D.25, D.26, D.27, E.01, E.02, E.03, E.04.01, E.04.02, E.05, E.06, E.09, E.10, E.13, E.14, E.15, E.16, E.17, E.21  Grade 5 B.01, B.02, B.03.01, B.05.01, B.05.02, B.06.01, B.05.02, B.06.01, B.06.02, B.07, B.08, B.09, B.10, C.01, C.02, C.03
4	NBT	4			
4	NBT	5	CC.4.NBT.5 Use place value understanding and properties of operations to perform multi-digit arithmetic. Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models. (Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000. A range of algorithms may be used.)		Grade 3 F.34, F.35, F.36, F.37, F.38, F.43, F.44, F.45, F.46
4	NBT	6	CC.4.NBT.6 Use place value understanding and properties of operations to perform multi-digit arithmetic. Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models. (Grade 4 expectations in this domain are limited to whole numbers less than or equal to 1,000,000. A range of algorithms may be used.)	H.09, H.10, H.11, H.12, H.13, H.14,	Grade 3 H.03, H.04, H.46, H.47, H.48, H.51.01, H.51.02, H.52, H.53, H.54, H.55, H.56, H.57, H.58 Grade 5 G.02, G.03, G.04, G.05, G.06, G.07, G.08, G.10, G.11

				T	
			CC.4.NF.1 Extend understanding of fraction equivalence		
			and ordering. Explain why a fraction a/b is equivalent to a		
			fraction $(n \times a)/(n \times b)$ by using visual fraction models, with		
			attention to how the number and size of the parts differ even		
			though the two fractions themselves are the same size. Use		
			this principle to recognize and generate equivalent fractions.		
			(Grade 4 expectations in this domain are limited to fractions		
			with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.)		
4	NF	1	With deficitional 2, 6, 4, 6, 6, 10, 12, and 166.)		
			CC.4.NF.2 Extend understanding of fraction equivalence		
			and ordering. Compare two fractions with different		
			numerators and different denominators, e.g., by creating		
			common denominators or numerators, or by comparing to a		
			benchmark fraction such as 1/2. Recognize that		
			comparisons are valid only when the two fractions refer to		
			the same whole. Record the results of comparisons with		
			symbols >, =, or <, and justify the conclusions, e.g., by using		
			a visual fraction model. (Grade 4 expectations in this		
			domain are limited to fractions with denominators 2, 3, 4, 5,		
I,	NIE-	0	6, 8, 10, 12, and 100.)		
4	NF	2	OO ANE O D. H. Constitution of the street leaves I have been a		
			CC.4.NF.3 Build fractions from unit fractions by applying and		
			extending previous understandings of operations on whole		
			numbers. Understand a fraction a/b with a > 1 as a sum of		
			fractions 1/b. (Grade 4 expectations in this domain are		
			limited to fractions with denominators 2, 3, 4, 5, 6, 8, 10, 12,		
4	NF	3	and 100.)		
			CC.4.NF.3a Understand addition and subtraction of	K.18, K.19, K.20	Grade 3 K.17, K.18, K.19, K.20,
1.	l	<u></u>	fractions as joining and		K.21
4	NF	3a	separating parts referring to the same whole.		
			CC.4.NF.3b Decompose a fraction into a sum of fractions		
			with the same denominator in more than one way, recording		
			each decomposition by an equation. Justify decompositions,		
			e.g., by using a visual fraction model. Examples: 3/8 = 1/8 +		
			1/8 + 1/8 ; 3/8 = 1/8 + 2/8 ; 2 1/8 = 1 + 1 + 1/8 = 8/8 + 8/8 +		
4	NF	3b	1/8.		

			CC.4.NF.3c Add and subtract mixed numbers with like	K.21, K.22, K.23, K.24, K.25	
			denominators, e.g., by replacing each mixed number with an		
			equivalent fraction, and/or by using properties of operations		
			and the relationship between addition and subtraction.		
4	NF	3c	'		
			CC.4.NF.3d Solve word problems involving addition and		Grade 3 K.02
			subtraction of fractions referring to the same whole and		
			having like denominators, e.g., by using visual fraction		
4	NF	3d	models and equations to represent the problem.		
			CC.4.NF.4 Build fractions from unit fractions by applying and		
			extending previous understandings of operations on whole		
			numbers. Apply and extend previous understandings of		
			multiplication to multiply a fraction by a whole number.		
			(Grade 4 expectations in this domain are limited to fractions		
			with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.)		
4	NF	4	With denominators 2, 3, 4, 3, 6, 6, 10, 12, and 100.)		
<u> </u>	111	<u> </u>	CC.4.NF.4a Understand a fraction a/b as a multiple of 1/b.		
			For example, use a visual fraction model to represent 5/4 as		
			the product 5 × (1/4), recording the conclusion by the		
1	NF	4a	lequation $5/4 = 5 \times (1/4)$ .		
-	INI	44	CC.4.NF.4b Understand a multiple of a/b as a multiple of		
			· · · · · · · · · · · · · · · · · · ·		
			1/b, and use this understanding to multiply a fraction by a		
			whole number. For example, use a visual fraction model to		
	NIE-	41-	express $3 \times (2/5)$ as $6 \times (1/5)$ , recognizing this product as		
4	NF	4b	6/5. (In general, $n \times (a/b) = (n \times a)/b$ .)		
			CC.4.NF.4c Solve word problems involving multiplication of		
			a fraction by a whole number, e.g., by using visual fraction		
			models and equations to represent the problem. For		
			example, if each person at a party will eat 3/8 of a pound of		
			roast beef, and there will be 5 people at the party, how many		
			pounds of roast beef will be needed? Between what two		
			whole numbers does your answer lie?		
4	NF	4c			

			CC.4.NF.5 Understand decimal notation for fractions, and		Grade 5 K.01
			compare decimal fractions. Express a fraction with		Grade o raior
			denominator 10 as an equivalent fraction with denominator		
			100, and use this technique to add two fractions with		
			respective denominators 10 and 100. For example, express		
			3/10 as 30/100 and add 3/10 + 4/100 = 34/100. (Students		
			who can generate equivalent fractions can develop		
			l ,		
			strategies for adding fractions with unlike denominators in general. But addition and subtraction with unlike		
			19		
			denominators in general is not a requirement at this grade.)		
			(Grade 4 expectations in this domain are limited to fractions		
1,	NF	_	with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.)		
4	INF	3	CC.4.NF.6 Understand decimal notation for fractions, and	L.01	Grade 5 K.02, K.03, K.04, K.05,
			•	L.01	K.06, K.07, K.08, K.09, K.10
			compare decimal fractions. Use decimal notation for		K.06, K.07, K.06, K.09, K.10
			fractions with denominators 10 or 100. For example, rewrite		
			0.62 as 62/100; describe a length as 0.62 meters; locate		
			0.62 on a number line diagram. (Grade 4 expectations in		
1,	N.E		this domain are limited to fractions with denominators 2, 3,		
4	NF	6	4, 5, 6, 8, 10, 12, and 100.)		
			CC.4.NF.7 Understand decimal notation for fractions, and		
			compare decimal fractions. Compare two decimals to		
			hundredths by reasoning about their size. Recognize that		
			comparisons comparisons are valid only when two decimals		
			refer to the same whole. Record the results of comparisons		
			with the symbols >, =, or <, and justify the conclusions, e.g.,		
			by using a visual model. (Grade 4 expectations in this		
			domain are limited to fractions with denominators 2, 3, 4, 5,		
4	NF	7	6, 8, 10, 12, and 100.)		

			l	N.03.01, N.03.02, N.05.01, N.05.02, N.07.01, N.07.02, N.08.01, N.08.02	Grade 3 N.03, N.04, N.07, N.09, N.11, N.12, N.13, N.14, N.21,
4	MD	1	measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two-column table. For example: Know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36),		
			CC.4.MD.2 Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit. Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement scale.	I.02, I.03, I.04.01, I.04.02, I.05.01, I.05.02, I.08, I.09.01, I.09.02, I.10, I.13, I.14, I.17,	Grade 5 J.09, J.10, J.11, J.12, J.18, J.19, J.20, N.01, N.02, N.03, N.04, N.05, N.06, N.07, N.08, N.09, N.10, N.11, N.12, N.13, N.14, N.15, N.16, N.17, N.18, N.21, N.22, N.23, N.24, N.25, O.01, O.02, O.03, O.04, O.05, O.06, O.07, O,08, O.09, O.16, O.17, O.18, O.19, O.20, O.21, O.22, O.24, O.25, O.26, O.27, P.05, P.06, P.07, P.08, P.09, P.10, P.11, P.12, P.13
	MD	3	l	N.11.01, N.11.02, N.12, N.13, N.15.01, N.15.02, N.16, N.17, N.18	Grade 5 Q.12, Q.13, Q.14, Q.15, Q.16, Q.17, Q.18, Q.19. Q.20, Q.29, Q.30. Q.31

	1	1	Tanana and a second a second and a second an	1	1
			CC.4.MD.4 Represent and interpret data. Make a line plot to		
			display a data set of measurements in fractions of a unit		
			(1/2, 1/4, 1/8). Solve problems involving addition and		
			subtraction of fractions by using information presented in		
			line plots. For example, from a line plot find and interpret the		
			difference in length between the longest and shortest		
			specimens in an insect collection.		
4	MD	4			
			CC.4.MD.5 Geometric measurement: understand concepts		
			of angle and measure angles. Recognize angles as		
			geometric shapes that are formed wherever two rays share		
			a common endpoint, and understand concepts of angle		
			measurement:		
			a. An angle is measured with reference to a circle with		
			its center at the common endpoint of the rays, by		
			considering the fraction of the circular arc between the		
			points where the two rays intersect the circle. An angle that		
			turns through 1/360 of a circle is called a "one-degree		
			angle," and can be used to measure angles.		
			b. An angle that turns through n one-degree angles is		
4	MD	5	said to have an angle measure of n degrees.		
			CC.4.MD.6 Geometric measurement: understand concepts		
			of angle and measure angles. Measure angles in whole-		
			number degrees using a protractor. Sketch angles of		
4	MD	6	specified measure.		
			CC.4.MD.7 Geometric measurement: understand concepts		
			of angle and measure angles. Recognize angle measure as		
			additive. When an angle is decomposed into non-		
			overlapping parts, the angle measure of the whole is the		
			sum of the angle measures of the parts. Solve addition and		
			subtraction problems to find unknown angles on a diagram		
			in real world and mathematical problems, e.g., by using an		
			equation with a symbol for the unknown angle measure.		
4	MD	7	and a different and a sign and a		
			CC.4.G.1 Draw and identify lines and angles, and classify	M.01, M.04	Grade 3 O.01, O.02
			shapes by properties of their lines and angles. Draw points,		
			lines, line segments, rays, angles (right, acute, obtuse), and		
			perpendicular and parallel lines. Identify these in two-		
4	G	1	dimensional figures.		
			i	!	

		CC.4.G.3 Draw and identify lines and angles, and classify shapes by properties of their lines and angles. Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.	M.03	Grade 3 O.03, O.04, O.05
4	G	CC.4.G.2 Draw and identify lines and angles, and classify shapes by properties of their lines and angles. Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.		